

PIG® Oil Pipe Leak Diverter Bucket Kit with Absorbents

TLS707 Diverter; Hose; Hanging Straps; Container, Install With Hanging Straps, 18" x 18"

Prevent damage to your property and equipment with a portable kit that contains all the supplies you need for diverting oil pipe leaks.

- Hangs from a leaking pipe or other overhead oil system to catch nuisance leaks and channel them to a collection pail
- Nonpermeable tarp is vinyl-coated for strength and durability and tested for compatibility with high viscosity oils; resists punctures, UV and mildew for long life
- Built-in grommets and included 14"-long rubber straps make it easy to hang
- 6.5-gallon collection pail has a removable plug to allow the drainage hose to be inserted without having to remove the lid
- Preinstalled quick connect set lets you attach hose to leak diverter in seconds
- For low to medium viscosity oil - flow rate of 1 gpm with a 1/2" ID hose
- For high viscosity oil - flow rate of 0.4 gpm with a 1/2" ID hose (included)
- PIG Oil-Only Mat Pads soak up any puddles to keep floors safe
- WorkWipes Wipers are great for wiping down diverter kit before storing or cleaning up small spills
- Printed "Caution" message on pail for added safety
- Not for use with oil temperatures over 170°F/77°C



Specifications

Style	Complete Kit
Color	Gray
Dimensions	ext. dia. 18" x 18" H
Brand	PIG
Contains	Diverter; Hose; Hanging Straps; Container
Drainage Hose Included	Yes

Hanging Straps Included	Yes
Hose Connector	.75" w/ Quick Connect
Installation Method	Hanging Straps
Shape	Circle
Sold as	1 each
Weight	10.09 lbs.
# per Pallet	27
Composition	Diverter - PVC, Polyester Hose - PVC Straps - Rubber Bucket - Plastic Mats - Polypropylene
Application	Pipes
Flow Rate	1 gal./Minute
Includes	1 - 25' L Clear Drainage Hose (TLS679) 4 - 14" L Rubber Hanging Straps (TLS470) 1 - Quick Connect Set (TLS680) 1 - 75 Pack WorkWipes® Series 60 Wipers (WIP660) 10 - PIG® Oil-Only Absorbent Mat Pad (MAT423) 1 - 6.5 gal. Bucket 1 - 18" x 18" Oil Leak Diverter
UNSPSC	24141506
Pigalog® Page Number	<u>Page N12</u>

Metric Equivalent

Dimensions	ext. dia. 45.7cm x 45.7cm H
Weight	4.6 kg

Technical Information

Technical Documents

[PIG® Oil-Only Absorbents](#)

Disclaimers

Maximum Working Temperature

Not suitable for temperatures over 170°F/77°C.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

