

PIG® High Volume Water-Absorbing Spill Kit in Large Spill Cart

WTR550 Each absorbs up to 80 gal., Absorbs Water

Store this Water Spill Kit near plumbing and mechanical rooms to control leaks, failures and backups. Includes PIG Water Absorbents, Patching Tape, Flood Barriers and more to handle any mess.

- Block and absorb water from faulty boilers, blown valves, backed up sinks/toilets and other plumbing failures to prevent spreading and minimize water damage
- Cleaner, more efficient method than dirty mops, rags and towels, which can recontaminate floors by spreading bacteria, mold and odors
- Front access doors and flip-top lid provide easy access to all kit contents for faster response than container-style kits
- Hi-viz mobile cart features large 8" wheels in back and 1.5" swivel wheels in front for easy maneuvering
- Narrow enough to fit through most aisles and doorways
- PIG Water Mats, Socks, Pillows and Wipers absorb up to 80 gallons
- PIG Water-Activated Flood Barriers swell on contact to block doorways, protect sensitive equipment or channel toward drains
- Gorilla Waterproof Patch & Seal Tape can make quick repairs to holes, cracks, gaps and tears, even underwater
- Large, high-capacity kit is ideal for protecting facilities with multiple sources of potential water issues; store in a centrally located supply closet or mechanical area and roll to the scene



Specifications

Absorbency Range	50 - 99.9 gal.
Dimensions	30" W x 29.5" L x 50" H
Absorbency	Up to 80 gal.
Brand	PIG
Caster/Wheel Included	Included

Caster/Wheel Quantity

4

Color	Yellow
Caster/Wheel Type	(2) 8" HDPE Wheels w/ FPVC Tires & (2) 1.5" Swivel Rubber Wheels
Container Type	Cart
Fluid Absorbed	Water
High Visibility	Yes
See-Through	No
UV Resistant	No
Sold as	1 each
Weight	130 lbs.

Composition	<p>Absorbents Mats: Top Layer - Polypropylene Bottom Layer - Natural & Recycled Fiber Blend</p> <p>Absorbent Pillows: Skin - Polypropylene Filler - Cellulosic Fibers</p> <p>Absorbent Socks: Skin - Polypropylene Filler – Cellulose Polymer Blend</p> <p>Water Barriers: Skin - Polypropylene Filler - Super Absorbent Polymer (SAP)</p> <p>Wipers: Cellulose</p> <p>Tape: Backing: Thermoplastic Polyolefin Adhesive: Blend of Synthetic Polymers</p> <p>Disposal Bags: Polyethylene</p>
-------------	---

Includes	<p>72 - 15" W x 19" L PIG® Water Absorbent Mat Pad (WTR007)</p> <p>12 - ext. dia. 3" x 48" L PIG® Super Water-Absorbing Sock (WTR018)</p> <p>6 - 10" W x 10" L x 2" H PIG® Absorbent Pillow (PIL204)</p> <p>3 - 17" W x 21" L x 2" H PIG® Absorbent Pillow (PIL201)</p> <p>1 - 8.5" W x 5' L x 0.25" H PIG® Water-Activated Flood Barrier (WTR046)</p> <p>1 - 8.5" W x 10' L x 0.25" H PIG® Water-Activated Flood Barrier (WTR048)</p> <p>2 - 11.5" W x 13" L PIG® PR35 Airlaid Wipers (WIP150)</p> <p>1 - 4" W x 10' L Gorilla® Waterproof Patch & Seal Tape (PTY417-BK)</p> <p>15 - 30" W x 6" D x 60" H Polyethylene Disposal Bags (BAG201-L)</p> <p>1 - 29.75" W x 27.5" D x 50.25" H PIG® Empty Big Daddy Spill Caddy (PAK820)</p>
----------	---

UNSPSC	47131905
Pigalog® Page Number	Page 105

Metric Equivalent

Absorbency	Up to 302.8 L
Weight	59 kg
Dimensions	76cm W x 75cm L x 127cm H

Technical Information

Technical Documents

[Gorilla® Products](#)

[FAQ for PIG Water-Activated Flood Bags & Barriers](#)

[Instructions for PIG Water-Activated Flood Bags & Barriers](#)

[Technical Data Sheet for PIG® Super Absorbent Sock & Pillow](#)

[Technical Data Sheet for PIG® Water Absorbent Mat](#)

[Technical Data Sheet for PIG® Water-Activated Flood Bag & Barrier](#)

[Technical Data Sheet for PIG® Super Water Absorbent Sock](#)

[Gorilla Waterproof Patch & Seal Tape](#)

[29 CFR 1910.22\(a\)\(2\)](#)



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com